

Zeitschriftenartikel und Bücher (peer-reviewed)

2019

- [1] A. Rahim, J. Goyvaerts, B. Szelag, J.-M. Fedeli, P. Absil, L. Aalto, M. Harjanne, C. Littlejohns, G. Reed, G. Winzer, S. Lischke, L. Zimmermann, D. Knoll, D. Geuzebroek, A. Leinse, M. Geiselmann, M. Zervas, H. Jans, A. Stassen, C. Dominguez, P. Munoz, D. Domenech, A. L. Giesecke, M. C. Lemme, and R. Baets, ‘Open-Access Silicon Photonics Platforms in Europe’, *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 25, no. 5, p. 8200818, Oct. 2019.
- [2] C. S. Boland, C. O. Coileain, S. Wagner, J. B. McManus, C. P. Cullen, M. C. Lemme, G. S. Duesberg, and N. McEvoy, ‘PtSe₂ grown directly on polymer foil for use as a robust piezoresistive sensor’, *2D Materials*, vol. 6, no. 4, p. 045029, Oct. 2019.
- [3] X. Fan, F. Forsberg, A. D. Smith, S. Schröder, S. Wagner, M. Östling, M. C. Lemme, and F. Niklaus, ‘Suspended Graphene Membranes with Attached Silicon Proof Masses as Piezoresistive Nanoelectromechanical Systems Accelerometers’, *Nano Lett.*, p. acs.nanolett.9b01759, Sep. 2019.
- [4] X. Fan, F. Forsberg, A. D. Smith, S. Schröder, S. Wagner, H. Rödjegård, A. C. Fischer, M. Östling, M. C. Lemme, and F. Niklaus, ‘Graphene ribbons with suspended masses as transducers in ultra-small nanoelectromechanical accelerometers’, *Nat Electron*, Sep. 2019.
- [5] S. Wittmann, C. Glacer, S. Wagner, S. Pindl, and M. C. Lemme, ‘Graphene Membranes for Hall Sensors and Microphones Integrated with CMOS-Compatible Processes’, *ACS Appl. Nano Mater.*, vol. 2, no. 8, pp. 5079–5085, Aug. 2019.
- [6] N. Pourdavoud, T. Haeger, A. Mayer, P. J. Cegielski, A. L. Giesecke, R. Heiderhoff, S. Olthof, S. Zaefferer, I. Shutsko, A. Henkel, D. Becker-Koch, M. Stein, M. Cehovski, O. Char, H.-H. Johannes, D. Rogalla, M. C. Lemme, M. Koch, Y. Vaynzof, K. Meerholz, W. Kowalsky, H.-C. Scheer, P. Goern, and T. Riedl, ‘Room-Temperature Stimulated Emission and Lasing in Recrystallized Cesium Lead Bromide Perovskite Thin Films’, *Advanced Materials*, p. 1903717, Aug. 2019.
- [7] F. Driussi, S. Venica, A. Gahoi, A. Gambi, P. Giannozzi, S. Kataria, M. C. Lemme, P. Palestri, and D. Esseni, ‘Improved understanding of metal–graphene contacts’, *Microelectronic Engineering*, vol. 216, p. 111035, Aug. 2019.
- [8] K. T. Arat, J. Bolten, A. C. Zonnevylle, P. Kruit, and C. W. Hagen, ‘Estimating Step Heights from Top-Down SEM Images’, *Microsc Microanal*, vol. 25, no. 04, pp. 903–911, Aug. 2019.
- [9] E. Chatzianagnostou, A. Manolis, G. Dabos, D. Ketzaki, A. Miliou, N. Pleros, L. Markey, J.-C. Weeber, A. Dereux, B. Chmielak, A.-L. Giesecke, C. Porschatis, P. J. Cegielski, and D. Tsiokos, ‘Scaling the Sensitivity of Integrated Plasmo-Photonic Interferometric Sensors’, *ACS Photonics*, vol. 6, no. 7, pp. 1664–1673, Jul. 2019.
- [10] A. Manolis, E. Chatzianagnostou, G. Dabos, N. Pleros, B. Chmielak, A. L. Giesecke, C. Porschatis, P. J. Cegielski, L. Markey, J.-C. Weeber, A. Dereux, and D. Tsiokos, ‘Plasmonics co-integrated with silicon nitride photonics for high-sensitivity interferometric biosensing’, *Optics Express*, vol. 27, no. 12, pp. 17102–17111, Jun. 2019.
- [11] F. Pasadas, M. Saeed, A. Hamed, Z. Wang, R. Negra, D. Neumaier, and D. Jimenez, ‘Large-Signal Model of the Metal-Insulator-Graphene Diode Targeting RF

- Applications', *IEEE Electron Device Letters*, vol. 40, no. 6, pp. 1005–1008, Jun. 2019.
- [12] D. Neumaier, S. Pindl, and M. C. Lemme, 'Integrating graphene into semiconductor fabrication lines', *Nature Materials*, vol. 18, no. 6, pp. 525–529, Jun. 2019.
- [13] A. Bablich, D. S. Schneider, P. Kienitz, S. Kataria, S. Wagner, C. Yim, N. McEvoy, O. Engstrom, J. Mueller, Y. Sakalli, B. Butz, G. S. Duesberg, P. H. Bolivar, and M. C. Lemme, 'Few-Layer MoS₂/a-Si:H Heterojunction Pin-Photodiodes for Extended Infrared Detection', *ACS Photonics*, vol. 6, no. 6, pp. 1372–1378, Jun. 2019.
- [14] M. Munther, M. Shaygan, A. Centeno, D. Neumaier, A. Zurutuza, K. Momeni, and K. Davami, 'Probing the mechanical properties of vertically-stacked ultrathin graphene/Al₂O₃ heterostructures', *Nanotechnology*, vol. 30, no. 18, p. 185703, May 2019.
- [15] V. Passi, A. Gahoi, E. G. Marin, T. Cusati, A. Fortunelli, G. Iannaccone, G. Fiori, and M. C. Lemme, 'Ultralow Specific Contact Resistivity in Metal-Graphene Junctions via Contact Engineering', *Advanced Materials Interfaces*, vol. 6, no. 1, p. 1801285, Jan. 2019.
- [16] S. Riazimehr, S. Kataria, J. M. Gonzalez-Medina, S. Wagner, M. Shaygan, S. Suckow, F. G. Ruiz, O. Engstroem, A. Godoy, and M. C. Lemme, 'High Responsivity and Quantum Efficiency of Graphene/Silicon Photodiodes Achieved by Interdigitating Schottky and Gated Regions', *ACS Photonics*, vol. 6, no. 1, pp. 107–115, Jan. 2019.
- [17] M. Bonmann, M. Asad, X. Yang, A. Generalov, A. Vorobiev, L. Banszerus, C. Stampfer, M. Otto, D. Neumaier, and J. Stake, 'Graphene Field-Effect Transistors With High Extrinsic $f(T)$ and $f(max)$ ', *IEEE Electron Device Letters*, vol. 40, no. 1, pp. 131–134, Jan. 2019.
- [18] A. Manolis, E. Chatzianagnostou, G. Dabos, D. Ketzaki, D. Tsiokos, B. Chmielak, S. Suckow, A. L. Giesecke, C. Porschatis, P. Cegielski, L. Markey, J. C. Weeber, A. Dereux, and N. Pleros, 'Bringing plasmonics into CMOS photonic foundries: Aluminum plasmonics on Si₃N₄ for biosensing applications', *J. Lightwave Technol.*, pp. 1–1, 2019.
- [19] M. Koenig, G. Ruhl, A. Gahoi, S. Wittmann, T. Preis, J.-M. Batke, I. Costina, and M. C. Lemme, 'Accurate Graphene-Metal Junction Characterization', *IEEE Journal of the Electron Devices Society*, vol. 7, no. 1, pp. 219–226, 2019.

2018

- [1] A. Quellmalz, A. D. Smith, K. Elgammal, X. Fan, A. Delin, M. Ostling, M. Lemme, K. B. Gylfason, and F. Niklaus, 'Influence of Humidity on Contact Resistance in Graphene Devices', *ACS Applied Materials & Interfaces*, vol. 10, no. 48, pp. 41738–41746, Dec. 2018.
- [2] C. Yim, V. Passi, M. C. Lemme, G. S. Duesberg, C. Ó Coileáin, E. Pallecchi, D. Fadil, and N. McEvoy, 'Electrical devices from top-down structured platinum diselenide films', *npj 2D Mater Appl*, vol. 2, no. 1, p. 5, Dec. 2018.
- [3] S. Schuler, D. Schall, D. Neumaier, B. Schwarz, K. Watanabe, T. Taniguchi, and T. Mueller, 'Graphene Photodetector Integrated on a Photonic Crystal Defect Waveguide', *ACS Photonics*, vol. 5, no. 12, pp. 4758–4763, Dec. 2018.
- [4] P. J. Cegielski, A. L. Giesecke, S. Neutzner, C. Porschatis, M. Gandini, D. Schall, C. A. R. Perini, J. Bolten, S. Suckow, S. Kataria, B. Chmielak, T. Wahlbrink, A. Petrozza, and M. C. Lemme, 'Monolithically Integrated Perovskite Semiconductor Lasers on Silicon Photonic Chips by Scalable Top-Down Fabrication', *Nano Letters*, vol. 18, no. 11, pp. 6915–6923, Nov. 2018.
- [5] M. Belete, S. Kataria, U. Koch, M. Kruth, C. Engelhard, J. Mayer, O. Engstroem, and M. C. Lemme, 'Dielectric Properties and Ion Transport in Layered MoS₂ Grown by Vapor-Phase Sulfurization for Potential Applications in Nanoelectronics', *ACS Applied*

- Nano Materials*, vol. 1, no. 11, pp. 6197–6204, Nov. 2018.
- [6] P. J. Cegielski, J. Bolten, J. W. Kim, F. Schlachter, C. Nowak, T. Wahlbrink, A. L. Giesecke, and M. C. Lemme, ‘Overlay accuracy limitations of soft stamp UV nanoimprint lithography and circumvention strategies for device applications’, *Microelectronic Engineering*, vol. 197, pp. 83–86, Oct. 2018.
- [7] M. Romagnoli, V. Sorianello, M. Midrio, F. H. L. Koppens, C. Huyghebaert, D. Neumaier, P. Galli, W. Templ, A. D’Errico, and A. C. Ferrari, ‘Graphene-based integrated photonics for next-generation datacom and telecom’, *Nature Reviews Materials*, vol. 3, no. 10, pp. 392–414, Oct. 2018.
- [8] H. Pandey, M. Shaygan, S. Sawallich, S. Kataria, Z. Wang, A. Noculak, M. Otto, M. Nagel, R. Negra, D. Neumaier, and M. C. Lemme, ‘All CVD Boron Nitride Encapsulated Graphene FETs With CMOS Compatible Metal Edge Contacts’, *IEEE Transactions on Electron Devices*, vol. 65, no. 10, pp. 4129–4134, Oct. 2018.
- [9] G. Dabos, A. Manolis, D. Tsiokos, D. Ketzaki, E. Chatzianagnostou, L. Markey, D. Rusakov, J.-C. Weeber, A. Dereux, A.-L. Giesecke, C. Porschatis, T. Wahlbrink, B. Chmielak, and N. Pleros, ‘Aluminum plasmonic waveguides co-integrated with Si₃N₄ photonics using CMOS processes’, *Scientific Reports*, vol. 8, p. 13380, Sep. 2018.
- [10] J. Wang, S. Wagner, W. Chen, Y. Shi, A. Ndao, L. Li, B. Kante, D. Sirbully, M. C. Lemme, and O. Vazquez-Mena, ‘Integration of Nanomaterials into Three-Dimensional Vertical Architectures’, *ACS Applied Materials & Interfaces*, vol. 10, no. 34, pp. 28262–28268, Aug. 2018.
- [11] S. E. Hosseinijad, M. Neshat, R. Faraji-Dana, M. Lemme, P. H. Bolivar, A. Cabellos-Aparicio, E. Alarcon, and S. Abadal, ‘Reconfigurable THz Plasmonic Antenna Based on Few-Layer Graphene with High Radiation Efficiency’, *Nanomaterials*, vol. 8, no. 8, p. 577, Aug. 2018.
- [12] L. Banszerus, B. Frohn, A. Epping, D. Neumaier, K. Watanabe, T. Taniguchi, and C. Stampfer, ‘Gate-Defined Electron-Hole Double Dots in Bilayer Graphene’, *Nano Letters*, vol. 18, no. 8, pp. 4785–4790, Aug. 2018.
- [13] M. Saeed, A. Hamed, Z. Wang, M. Shaygan, D. Neumaier, and R. Negra, ‘Metal-Insulator-Graphene Diode Mixer Based on CVD Graphene-on-Glass’, *IEEE Electron Device Letters*, vol. 39, no. 7, pp. 1104–1107, Jul. 2018.
- [14] S. Wagner, C. Yim, N. McEvoy, S. Kataria, V. Yokaribas, A. Kuc, S. Pindl, C.-P. Fritzen, T. Heine, G. S. Duesberg, and M. C. Lemme, ‘Highly Sensitive Electromechanical Piezoresistive Pressure Sensors Based on Large-Area Layered PtSe₂ Films’, *Nano Letters*, vol. 18, no. 6, pp. 3738–3745, Jun. 2018.
- [15] G. Dabos, D. Ketzaki, A. Manolis, E. Chatzianagnostou, L. Markey, J.-C. Weeber, A. Dereux, A. L. Giesecke, C. Porschatis, B. Chmielak, D. Tsiokos, and N. Pleros, ‘Water Cladded Plasmonic Slot Waveguide Vertically Coupled With Si₃N₄ Photonics’, *IEEE Photonics Journal*, vol. 10, no. 3, p. 2700308, Jun. 2018.
- [16] G. Dabos, A. Manolis, S. Papaioannou, D. Tsiokos, L. Markey, J.-C. Weeber, A. Dereux, A. L. Giesecke, C. Porschatis, B. Chmielak, and N. Pleros, ‘CMOS plasmonics in WDM data transmission: 200 Gb/s (8 x 25Gb/s) transmission over aluminum plasmonic waveguides’, *Optics Express*, vol. 26, no. 10, pp. 12469–12478, May 2018.
- [17] K. Piskorski, V. Passi, J. Ruhkopf, M. C. Lemme, and H. M. Przewlocki, ‘Graphene-insulator-semiconductor capacitors as superior test structures for photoelectric determination of semiconductor devices band diagrams’, *AIP Advances*, vol. 8, no. 5, p. 055203, May 2018.
- [18] X. Fan, S. Wagner, P. Schädlich, F. Speck, S. Kataria, T. Haraldsson, T. Seyller, M. C. Lemme, and F. Niklaus, ‘Direct observation of grain boundaries in graphene through vapor hydrofluoric acid (VHF) exposure’, *Sci. Adv.*, vol. 4, no. 5, p. eaar5170, May 2018.

- [19] S. Venica, F. Driussi, A. Gahoi, P. Palestri, M. C. Lemme, and L. Selmi, ‘On the Adequacy of the Transmission Line Model to Describe the Graphene-Metal Contact Resistance’, *IEEE Transactions on Electron Devices*, vol. 65, no. 4, pp. 1589–1596, Apr. 2018.
- [20] M. Saeed, A. Hamed, Z. Wang, M. Shaygan, D. Neumaier, and R. Negra, ‘Zero-Bias 50-dB Dynamic Range Linear-in-dB V-Band Power Detector Based on CVD Graphene Diode on Glass’, *IEEE Transactions on Microwave Theory and Techniques*, vol. 66, no. 4, pp. 2018–2024, Apr. 2018.
- [21] V. Passi, A. Gahoi, B. V. Senkoyskiy, D. Haberer, F. R. Fischer, A. Grueneis, and M. C. Lemme, ‘Field-Effect Transistors Based on Networks of Highly Aligned, Chemically Synthesized N=7 Armchair Graphene Nanoribbons’, *ACS Applied Materials & Interfaces*, vol. 10, no. 12, pp. 9900–9903, Mar. 2018.
- [22] C. Yim, N. McEvoy, S. Riazimehr, D. S. Schneider, F. Gity, S. Monaghan, P. K. Hurley, M. C. Lemme, and G. S. Duesberg, ‘Wide Spectral Photoresponse of Layered Platinum Diselenide-Based Photodiodes’, *Nano Letters*, vol. 18, no. 3, pp. 1794–1800, Mar. 2018.
- [23] R. Kniess, C. B. Wagner, H. U. Goeringer, M. Mueh, C. Damm, S. Sawallich, B. Chmielak, U. Plachetka, and M. Lemme, ‘Towards the Development of THz-Sensors for the Detection of African Trypanosomes’, *Frequenz*, vol. 72, no. 3–4, pp. 101–111, Mar. 2018.
- [24] G. Dabos, D. Ketzaki, A. Manolis, L. Markey, J. C. Weeber, A. Dereux, A. L. Giesecke, C. Porschatis, B. Chmielak, D. Tsiokos, and N. Pleros, ‘Plasmonic Stripes in Aqueous Environment Co-Integrated With Si₃N₄ Photonics’, *IEEE Photonics Journal*, vol. 10, no. 1, p. 2700108, Feb. 2018.
- [25] M. Saeed, A. Hamed, Z. Wang, M. Shaygan, D. Neumaier, and R. Negra, ‘Graphene integrated circuits: new prospects towards receiver realisation’, *Nanoscale*, vol. 10, no. 1, pp. 93–99, Jan. 2018.
- [26] L. A. Panes-Ruiz, M. Shaygan, Y. Fu, Y. Liu, V. Khavrus, S. Oswald, T. Gemming, L. Baraban, V. Bezugly, and G. Cuniberti, ‘Toward Highly Sensitive and Energy Efficient Ammonia Gas Detection with Modified Single-Walled Carbon Nanotubes at Room Temperature’, *ACS Sensors*, vol. 3, no. 1, pp. 79–86, Jan. 2018.

2017

- [1] G. Dabos, A. Manolis, A. L. Giesecke, C. Porschatis, B. Chmielak, T. Wahlbrink, N. Pleros, and D. Tsiokos, ‘TM grating coupler on low-loss LPCVD based Si₃N₄ waveguide platform’, *Optics Communications*, vol. 405, pp. 35–38, Dec. 2017.
- [2] M. Mohsin, D. Schall, M. Otto, B. Chmielak, C. Porschatis, J. Bolten, and D. Neumaier, ‘Graphene based on-chip variable optical attenuator operating at 855 nm wavelength’, *Optics Express*, vol. 25, no. 25, pp. 31660–31669, Dec. 2017.
- [3] V. Yokaribas, S. Wagner, D. S. Schneider, P. Friebertshaeuser, M. C. Lemme, and C.-P. Fritzen, ‘Strain Gauges Based on CVD Graphene Layers and Exfoliated Graphene Nanoplatelets with Enhanced Reproducibility and Scalability for Large Quantities’, *Sensors*, vol. 17, no. 12, p. 2937, Dec. 2017.
- [4] V. Passi and J.-P. Raskin, ‘Review on analog/radio frequency performance of advanced silicon MOSFETs’, *Semiconductor Science and Technology*, vol. 32, no. 12, p. 123004, Dec. 2017.
- [5] H. Pandey, S. Kataria, A. Gahoi, and M. C. Lemme, ‘High Voltage Gain Inverters From Artificially Stacked Bilayer CVD Graphene FETs’, *IEEE Electron Device Letters*, vol. 38, no. 12, pp. 1747–1750, Dec. 2017.
- [6] M. Shaygan, M. Otto, A. A. Sagade, C. A. Chavarin, G. Bacher, W. Mertin, and D. Neumaier, ‘Low Resistive Edge Contacts to CVD-Grown Graphene Using a CMOS

- Compatible Metal', *Annalen Der Physik*, vol. 529, no. 11, p. 1600410, Nov. 2017.
- [7] H. Pandey, J.-D. Aguirre-Morales, S. Kataria, S. Fregonese, V. Passi, M. Iannazzo, T. Zimmer, E. Alarcon, and M. C. Lemme, 'Enhanced Intrinsic Voltage Gain in Artificially Stacked Bilayer CVD Graphene Field Effect Transistors', *Annalen Der Physik*, vol. 529, no. 11, p. 1700106, Nov. 2017.
- [8] E. Malic, T. Winzer, F. Wendler, S. Brem, R. Jago, A. Knorr, M. Mittendorff, J. C. Koenig-Otto, T. Ploetzing, D. Neumaier, H. Schneider, M. Helm, and S. Winnerl, 'Carrier Dynamics in Graphene: Ultrafast Many-Particle Phenomena', *Annalen Der Physik*, vol. 529, no. 11, p. UNSP 1700038, Nov. 2017.
- [9] M. Shaygan, Z. Wang, M. S. Elsayed, M. Otto, G. Iannaccone, A. H. Ghareeb, G. Fiori, R. Negra, and D. Neumaier, 'High performance metal-insulator-graphene diodes for radio frequency power detection application', *Nanoscale*, vol. 9, no. 33, pp. 11944–11950, Sep. 2017.
- [10] A. D. Smith, S. Wagner, S. Kataria, B. G. Malm, M. C. Lemme, and M. Ostling, 'Wafer-Scale Statistical Analysis of Graphene Field-Effect Transistors-Part II: Analysis of Device Properties', *IEEE Transactions on Electron Devices*, vol. 64, no. 9, pp. 3927–3933, Sep. 2017.
- [11] A. D. Smith, S. Wagner, S. Kataria, B. G. Malm, M. C. Lemme, and M. Ostling, 'Wafer-Scale Statistical Analysis of Graphene FETs-Part I: Wafer-Scale Fabrication and Yield Analysis', *IEEE Transactions on Electron Devices*, vol. 64, no. 9, pp. 3919–3926, Sep. 2017.
- [12] O. Engström, M. C. Lemme, and O. Habibpour, '(Invited) Properties of Metal/High-k Oxide/Graphene Structures', *ECS Trans.*, vol. 80, no. 1, pp. 157–176, Aug. 2017.
- [13] C. Lin, K. Davami, Y. Jiang, J. Cortes, M. Munther, M. Shaygan, H. Ghassemi, J. T. Robinson, K. T. Turner, and I. Bargatin, 'Enhancing the stiffness of vertical graphene sheets through ion beam irradiation and fluorination', *Nanotechnology*, vol. 28, no. 29, p. 295701, Jul. 2017.
- [14] N. Iliadis, G. Kanakis, N. Argyris, G. Goetz, A. Dede, D. Kalavrouziotis, G. Pouloupoulos, J. Bolten, I. Lazarou, T. Wahlbrink, A. L. Giesecke, A. Vannucci, D. Apostolopoulos, and H. Avramopoulos, '16 x 1 Packaged MUX/DEMUX for Flexible-Grid Optical Networks', *Journal of Lightwave Technology*, vol. 35, no. 14, pp. 3050–3059, Jul. 2017.
- [15] D. Domenech, P. Chamorro-Posada, F. J. Fraile-Pelaez, M. Jose Erro, S. Tainta Ausejo, M. A. Muriel, R. Banos, J. Bolten, and H. Kleinjans, 'Characterization of Microring Filters for Differential Group Delay Applications', *Journal of Lightwave Technology*, vol. 35, no. 14, pp. 2943–2947, Jul. 2017.
- [16] P. J. Cegielski, S. Neutzner, C. Porschatis, H. Lerch, J. Bolten, S. Suckow, A. R. S. Kandada, B. Chmielak, A. Petrozza, T. Wahlbrink, and A. L. Giesecke, 'Integrated perovskite lasers on a silicon nitride waveguide platform by cost-effective high throughput fabrication', *Optics Express*, vol. 25, no. 12, pp. 13199–13206, Jun. 2017.
- [17] L. Banszerus, H. Janssen, M. Otto, A. Epping, T. Taniguchi, K. Watanabe, B. Beschoten, D. Neumaier, and C. Stampfer, 'Identifying suitable substrates for high-quality graphene-based heterostructures', *2D Materials*, vol. 4, no. 2, p. 025030, Jun. 2017.
- [18] J. W. Kim, B. Chmielak, H. Lerch, and U. Plachetka, 'Fabrication of photonic integrated circuits in silicon nitride using substrate conformal imprint lithography', *Microelectronic Engineering*, vol. 176, pp. 11–14, May 2017.
- [19] G. Ruhl, S. Wittmann, M. Koenig, and D. Neumaier, 'The integration of graphene into microelectronic devices', *Beilstein Journal of Nanotechnology*, vol. 8, pp. 1056–1064, May 2017.
- [20] J. Barnett, U. Plachetka, C. Nowak, and H. Wackerbarth, 'Highly periodic Au nano-disc

arrays for plasmon-resonant SERS structures on fused silica using UV-NIL based double-layer lift-off process', *Microelectronic Engineering*, vol. 172, pp. 45–48, Mar. 2017.

- [21] D. Schall, C. Porschatis, M. Otto, and D. Neumaier, 'Graphene photodetectors with a bandwidth >76 GHz fabricated in a 6'' wafer process line', *Journal of Physics D-Applied Physics*, vol. 50, no. 12, p. 124004, Feb. 2017.
- [22] M. Mohsin, D. Schall, M. Otto, B. Chmielak, S. Suckow, and D. Neumaier, 'Towards the Predicted High Performance of Waveguide Integrated Electro-Refractive Phase Modulators Based on Graphene', *IEEE Photonics J.*, vol. 9, no. 1, pp. 1–7, Feb. 2017.
- [23] J.-C. Weeber, J. Arocas, O. Heintz, L. Markey, S. Viarbitskaya, G. Colas-des-Francis, K. Hammani, A. Dereux, C. Hoessbacher, U. Koch, J. Leuthold, K. Rohracher, A. L. Giesecke, C. Porschatis, T. Wahlbrink, B. Chmielak, N. Pleros, and D. Tsiokos, 'Characterization of CMOS metal based dielectric loaded surface plasmon waveguides at telecom wavelengths', *Optics Express*, vol. 25, no. 1, pp. 394–408, Jan. 2017.
- [24] M. Messerschmidt, A. Greer, F. Schlachter, J. Barnett, M. W. Thesen, N. Gadegaard, G. Griitzner, and A. Schleunitz, 'New Organic Photo-Curable Nanoimprint Resist "mr-NIL210" for High Volume Fabrication Applying Soft PDMS-Based Stamps', *Journal of Photopolymer Science and Technology*, vol. 30, no. 5, pp. 605–611, 2017.

2016

- [1] Z. Wang, L. Banszerus, M. Otto, K. Watanabe, T. Taniguchi, C. Stampfer, and D. Neumaier, 'Encapsulated graphene-based Hall sensors on foil with increased sensitivity', *Physica Status Solidi B-Basic Solid State Physics*, vol. 253, no. 12, pp. 2316–2320, Dec. 2016.
- [2] A. Georgi, P. Nemes-Incze, B. Szafranek, D. Neumaier, V. Geringer, M. Liebmann, and M. Morgenstern, 'Apparent rippling with honeycomb symmetry and tunable periodicity observed by scanning tunneling microscopy on suspended graphene', *Physical Review B*, vol. 94, no. 18, p. 184302, Nov. 2016.
- [3] S. Schuler, D. Schall, D. Neumaier, L. Dobusch, O. Bethge, B. Schwarz, M. Krall, and T. Mueller, 'Controlled Generation of a p-n Junction in a Waveguide Integrated Graphene Photodetector', *Nano Letters*, vol. 16, no. 11, pp. 7107–7112, Nov. 2016.
- [4] M. Lauer mann, S. Wolf, W. Hartmann, R. Palmer, Y. Kutuvantavida, H. Zwickel, A. Bielik, L. Altenhain, J. Lutz, R. Schmid, T. Wahlbrink, J. Bolten, A. L. Giesecke, W. Freude, and C. Koos, 'Generation of 64 GBd 4ASK signals using a silicon-organic hybrid modulator at 80 degrees C', *Optics Express*, vol. 24, no. 9, pp. 9389–9396, May 2016.
- [5] D. Schall, M. Mohsin, A. A. Sagade, M. Otto, B. Chmielak, S. Suckow, A. L. Giesecke, D. Neumaier, and H. Kurz, 'Infrared transparent graphene heater for silicon photonic integrated circuits', *Optics Express*, vol. 24, no. 8, pp. 7871–7878, Apr. 2016.
- [6] K. Davami, Y. Jiang, J. Cortes, C. Lin, M. Shaygan, K. T. Turner, and I. Bargatin, 'Tuning the mechanical properties of vertical graphene sheets through atomic layer deposition', *Nanotechnology*, vol. 27, no. 15, p. 155701, Apr. 2016.
- [7] F. Schlachter, J. Barnett, U. Plachetka, C. Nowak, M. Messerschmidt, M. Thesen, and H. Kurz, 'UV-NIL based nanostructuring of aluminum using a novel organic imprint resist demonstrated for 100 nm half-pitch wire grid polarizer', *Microelectronic Engineering*, vol. 155, pp. 118–121, Apr. 2016.
- [8] C. A. Chavarin, A. A. Sagade, D. Neumaier, G. Bacher, and W. Mertin, 'On the origin of contact resistances in graphene devices fabricated by optical lithography', *Applied Physics A-Materials Science & Processing*, vol. 122, no. 2, Feb. 2016.
- [9] C. Koos, J. Leuthold, W. Freude, M. Kohl, L. Dalton, W. Bogaerts, A. L. Giesecke, M.

- Lauermann, A. Melikyan, S. Koeber, S. Wolf, C. Weimann, S. Muehlbrandt, K. Koehnle, J. Pfeifle, W. Hartmann, Y. Kutuvantavida, S. Ummethala, R. Palmer, D. Korn, L. Alloatti, P. C. Schindler, D. L. Elder, T. Wahlbrink, and J. Bolten, ‘Silicon-Organic Hybrid (SOH) and Plasmonic-Organic Hybrid (POH) Integration’, *Journal of Lightwave Technology*, vol. 34, no. 2, pp. 256–268, Jan. 2016.
- [10] Z. Wang, M. Shaygan, M. Otto, D. Schall, and D. Neumaier, ‘Flexible Hall sensors based on graphene’, *Nanoscale*, vol. 8, no. 14, pp. 7683–7687, 2016.
- [11] M. Shaygan, K. Davami, B. Jin, T. Gemming, J.-S. Lee, and M. Meyyappan, ‘Highly sensitive photodetectors using ZnTe/ZnO core/shell nanowire field effect transistors with a tunable core/shell ratio’, *Journal of Materials Chemistry C*, vol. 4, no. 10, pp. 2040–2046, 2016.

2015

- [1] M. C. Raval, A. P. Joshi, S. S. Saseendran, S. Suckow, S. Saravanan, C. S. Solanki, and A. Kottantharayil, ‘Study of Nickel Silicide Formation and Associated Fill-Factor Loss Analysis for Silicon Solar Cells With Plated Ni-Cu Based Metallization’, *IEEE Journal of Photovoltaics*, vol. 5, no. 6, pp. 1554–1562, Nov. 2015.
- [2] M. Droegeler, F. Volmer, M. Wolter, K. Watanabe, T. Taniguchi, D. Neumaier, C. Stampfer, and B. Beschoten, ‘Nanosecond spin lifetimes in bottom-up fabricated bilayer graphene spin-valves with atomic layer deposited Al₂O₃ spin injection and detection barriers’, *Physica Status Solidi B-Basic Solid State Physics*, vol. 252, no. 11, pp. 2395–2400, Nov. 2015.
- [3] G. Dabos, J. Bolten, A. Prinzen, A. L. Giesecke, N. Pleros, and D. Tsiokos, ‘Perfectly vertical and fully etched SOI grating couplers for TM polarization’, *Optics Communications*, vol. 350, pp. 124–127, Sep. 2015.
- [4] D. Neumaier and H. Zirath, ‘High frequency graphene transistors: can a beauty become a cash cow?’, *2D Materials*, vol. 2, no. 3, p. 030203, Sep. 2015.
- [5] L. Markey, F. Zacharatos, J.-C. Weeber, A. Prinzen, M. Waldow, M. G. Nielsen, T. Tekin, and A. Dereux, ‘Recess Photomask Contact Lithography and the fabrication of coupled silicon photonic and plasmonic waveguide switches’, *Microelectronic Engineering*, vol. 141, pp. 129–134, Jun. 2015.
- [6] K. C. Knirsch, N. C. Berner, H. C. Nerl, C. S. Cucinotta, Z. Gholamvand, N. McEvoy, Z. Wang, I. Abramovic, P. Vecera, M. Halik, S. Sanvito, G. S. Duesberg, V. Nicolosi, F. Hauke, A. Hirsch, J. N. Coleman, and C. Backes, ‘Basal-Plane Functionalization of Chemically Exfoliated Molybdenum Disulfide by Diazonium Salts’, *ACS Nano*, vol. 9, no. 6, pp. 6018–6030, Jun. 2015.
- [7] F. A. Chaves, D. Jimenez, A. A. Sagade, W. Kim, J. Riikonen, H. Lipsanen, and D. Neumaier, ‘A physics-based model of gate-tunable metal-graphene contact resistance benchmarked against experimental data’, *2D Materials*, vol. 2, no. 2, p. 025006, Jun. 2015.
- [8] J. Dauber, A. A. Sagade, M. Oellers, K. Watanabe, T. Taniguchi, D. Neumaier, and C. Stampfer, ‘Ultra-sensitive Hall sensors based on graphene encapsulated in hexagonal boron nitride’, *Applied Physics Letters*, vol. 106, no. 19, p. 193501, May 2015.
- [9] S. Papaioannou, G. Giannoulis, K. Vyrsoinos, F. Leroy, F. Zacharatos, L. Markey, J.-C. Weeber, A. Dereux, S. I. Bozhevolnyi, A. Prinzen, D. Apostolopoulos, H. Avramopoulos, and N. Pleros, ‘Ultracompact and Low-Power Plasmonic MZI Switch Using Cyclomer Loading’, *IEEE Photonics Technology Letters*, vol. 27, no. 9, pp. 963–966, May 2015.
- [10] M. Lauermann, S. Wolf, P. C. Schindler, R. Palmer, S. Koeber, D. Korn, L. Alloatti, T. Wahlbrink, J. Bolten, M. Waldow, M. Koenigsmann, M. Kohler, D. Malsam, D. L.

- Elder, P. V. Johnston, N. Phillips-Sylvain, P. A. Sullivan, L. R. Dalton, J. Leuthold, W. Freude, and C. Koos, '40 GBd 16QAM Signaling at 160 Gb/s in a Silicon-Organic Hybrid Modulator', *Journal of Lightwave Technology*, vol. 33, no. 6, pp. 1210–1216, Mar. 2015.
- [11] K. Davami, M. Shaygan, and I. Bargatin, 'Fabrication of vertical graphene-based nanocomposite thin films', *Journal of Materials Research*, vol. 30, no. 5, pp. 617–625, Mar. 2015.
- [12] S. Papaioannou, D. Fitsios, G. Dabos, K. Vyrsoinos, G. Giannoulis, A. Prinzen, C. Porschatis, M. Waldow, D. Apostolopoulos, H. Avramopoulos, and N. Pleros, 'On-Chip Dual-Stream DWDM Eight-Channel-Capable SOI-Based MUX s/DEMUX s With 40-GHz Channel Bandwidth', *IEEE Photonics J.*, vol. 7, no. 1, pp. 1–10, Feb. 2015.
- [13] A. A. Sagade, D. Neumaier, D. Schall, M. Otto, A. Pesquera, A. Centeno, A. Z. Elorza, and H. Kurz, 'Highly air stable passivation of graphene based field effect devices', *Nanoscale*, vol. 7, no. 8, pp. 3558–3564, 2015.
- [14] A. C. Ferrari, F. Bonaccorso, V. Fal'ko, K. S. Novoselov, S. Roche, P. Boggild, S. Borini, F. H. L. Koppens, V. Palermo, N. Pugno, J. A. Garrido, R. Sordan, A. Bianco, L. Ballerini, M. Prato, E. Lidorikis, J. Kivioja, C. Marinelli, T. Ryhaenen, A. Morpurgo, J. N. Coleman, V. Nicolosi, L. Colombo, A. Fert, M. Garcia-Hernandez, A. Bachtold, G. F. Schneider, F. Guinea, C. Dekker, M. Barbone, Z. Sun, C. Galiotis, A. N. Grigorenko, G. Konstantatos, A. Kis, M. Katsnelson, L. Vandersypen, A. Loiseau, V. Morandi, D. Neumaier, E. Treossi, V. Pellegrini, M. Polini, A. Tredicucci, G. M. Williams, B. H. Hong, J.-H. Ahn, J. M. Kim, H. Zirath, B. J. van Wees, H. van der Zant, L. Occhipinti, A. Di Matteo, I. A. Kinloch, T. Seyller, E. Quesnel, X. Feng, K. Teo, N. Rupesinghe, P. Hakonen, S. R. T. Neil, Q. Tannock, T. Loefwander, and J. Kinaret, 'Science and technology roadmap for graphene, related two-dimensional crystals, and hybrid systems', *Nanoscale*, vol. 7, no. 11, pp. 4598–4810, 2015.
- [15] K. Davami, M. Shaygan, N. Kheirabi, and H. Ghassemi, 'A Study on the Stoichiometry of One-Dimensional Nanostructures', *Advances in Condensed Matter Physics*, p. 587696, 2015.

2014

- [1] M. Lauermann, R. Palmer, S. Koeber, P. C. Schindler, D. Korn, T. Wahlbrink, J. Bolten, M. Waldow, D. L. Elder, L. R. Dalton, J. Leuthold, W. Freude, and C. Koos, 'Low-power silicon-organic hybrid (SOH) modulators for advanced modulation formats', *Optics Express*, vol. 22, no. 24, pp. 29927–29936, Dec. 2014.
- [2] M. W. Thesen, D. Nees, S. Ruttloff, M. Rumler, M. Rommel, F. Schlachter, S. Gruetzner, M. Vogler, A. Schleunitz, and G. Gruetzner, 'Inkjettable and photo-curable resists for large-area and high-throughput roll-to-roll nanoimprint lithography', *Journal of Micro-Nanolithography MEMS and MOEMS*, vol. 13, no. 4, p. 043003, Oct. 2014.
- [3] G. Fiori, F. Bonaccorso, G. Iannaccone, T. Palacios, D. Neumaier, A. Seabaugh, S. K. Banerjee, and L. Colombo, 'Electronics based on two-dimensional materials', *Nature Nanotechnology*, vol. 9, no. 10, pp. 768–779, Oct. 2014.
- [4] D. Schall, D. Neumaier, M. Mohsin, B. Chmielak, J. Bolten, C. Porschatis, A. Prinzen, C. Matheisen, W. Kuebart, B. Junginger, W. Templ, A. L. Giesecke, and H. Kurz, '50 GBit/s Photodetectors Based on Wafer-Scale Graphene for Integrated Silicon Photonic Communication Systems', *ACS Photonics*, vol. 1, no. 9, pp. 781–784, Sep. 2014.
- [5] T. Ploetzing, T. Winzer, E. Malic, D. Neumaier, A. Knorr, and H. Kurz, 'Experimental Verification of Carrier Multiplication in Graphene', *Nano Letters*, vol. 14, no. 9, pp. 5371–5375, Sep. 2014.
- [6] J. W. Kim, J. Bolten, C. Moormann, and H. Kurz, 'Realization of ultra-thin HSQ resist

- layer for high resolution electron beam lithography using liquid splitting process', *Microelectronic Engineering*, vol. 123, pp. 62–64, Jul. 2014.
- [7] J. Bolten, C. Manecke, T. Wahlbrink, M. Waldow, and H. Kutz, 'At low costs: Study on optical propagation losses of silicon waveguides fabricated by electron beam lithography', *Microelectronic Engineering*, vol. 123, pp. 1–3, Jul. 2014.
- [8] M. Mohsin, D. Schall, M. Otto, A. Noculak, D. Neumaier, and H. Kurz, 'Graphene based low insertion loss electro-absorption modulator on SOI waveguide', *Optics Express*, vol. 22, no. 12, pp. 15292–15297, Jun. 2014.
- [9] B. Gargallo, P. Munoz, R. Banos, A. L. Giesecke, J. Bolten, T. Wahlbrink, and H. Kleinjans, 'Reflective arrayed waveguide gratings based on Sagnac loop reflectors with custom spectral response', *Optics Express*, vol. 22, no. 12, pp. 14348–14362, Jun. 2014.
- [10] A. Prinzen, J. Bolten, M. Waldow, and H. Kurz, 'Study on fabrication tolerances of SOI based directional couplers and ring resonators', *Microelectronic Engineering*, vol. 121, pp. 51–54, Jun. 2014.
- [11] M. W. Thesen, M. Rumler, F. Schlachter, S. Grützner, C. Moormann, M. Rommel, D. Nees, S. Ruttloff, S. Pfirrmann, M. Vogler, A. Schleunitz, and G. Grützner, 'Enabling large area and high throughput roll-to-roll NIL by novel inkjettable and photo-curable NIL resists', *Proc. SPIE 9049, Alternative Lithographic Technologies VI*, p. 90490H, Mar. 2014.
- [12] C. Matheisen, M. Waldow, B. Chmielak, S. Sawallich, T. Wahlbrink, J. Bolten, M. Nagel, and H. Kurz, 'Electro-optic light modulation and THz generation in locally plasma-activated silicon nanophotonic devices', *Optics Express*, vol. 22, no. 5, pp. 5252–5259, Mar. 2014.
- [13] R. Mroczynski, J. Jasinski, H. Gottlob, and M. Schmidt, 'Double gate dielectric stacks with Gd₂O₃ layer for application in NVSM devices', *Microelectronic Engineering*, vol. 115, pp. 61–65, Mar. 2014.
- [14] G. Fiori, D. Neumaier, B. N. Szafrank, and G. Iannaccone, 'Bilayer Graphene Transistors for Analog Electronics', *IEEE Transactions on Electron Devices*, vol. 61, no. 3, pp. 729–733, Mar. 2014.
- [15] M. Rumpel, M. Moeller, C. Moormann, T. Graf, and M. A. Ahmed, 'Broadband pulse compression gratings with measured 99.7% diffraction efficiency', *Optics Letters*, vol. 39, no. 2, pp. 323–326, Jan. 2014.

Konferenzbeiträge

2019

- [1] A. Manolis, E. Chatzianagnostou, G. Dabos, N. Pleros, B. Chmielak, A. L. Giesecke, C. Porschatis, P. J. Cegielski, L. Markey, J. C. Weeber, A. Dereux, and D. Tsiokos, 'Plasmonic stripes integrated in a silicon nitride Mach Zehnder Interferometer for high sensitivity refractometric sensors', in *Conference on Lasers and Electro-Optics*, San Jose, California: OSA, 2019, p. JTh2A.94.
- [2] A. Manolis, E. Chatzianagnostou, G. Dabos, L. Markey, J.-C. Weeber, A. Dereux, A.-L. Giesecke, C. Porschatis, B. Chmielak, N. Pleros, and D. Tsiokos, 'Ultra-sensitive plasmonic MZI based refractive index sensor', in *Integrated Optics: Devices, Materials, and Technologies XXIII*, vol. 10921, S. M. GarciaBlanco and P. Cheben, Eds. 2019, p. 1092126.
- [3] F. Wieduwilt, C. Lenth, U. Plachetka, and H. Wackerbarth, 'Detektion von Arzneimitteln in Abwässern durch oberflächenverstärkte Raman-Spektroskopie', in *ANAKON 2019*, 2019.

2018

- [1] I. Bolshakova, D. Dyuzhkov, Ya. Kost, M. Radishevskiy, F. Shurigin, A. Vasyliiev, Z. Wang, M. Otto, and D. Neumaier, 'Prospects of graphene use in sensor technology', in *2018 14th International Conference on Advanced Trends in Radioelectronics, Telecommunications and Computer Engineering (TCSET)*, Lviv-Slavske: IEEE, 2018, pp. 466–470.
- [2] I. Bolshakova, Y. Kost, M. Radishevskiy, F. Shurigin, O. Vasyliiev, M. Bulavin, S. Kulikov, I. Duran, D. Neumaier, M. Otto, Z. Wang, A. Quercia, V. Coccoresse, and A. Pironti, 'Methods and equipment for on-line testing of Hall sensors based on semiconductor, metal and graphene materials in the nuclear reactors' neutron fluxes', in *2018 IEEE Sensors*, 2018, pp. 348–351.
- [3] P. Cegielski, S. Neutzner, C. Porschatis, M. Gandini, D. Schall, C. A. R. Perini, J. Bolten, S. Suckow, B. Chmielak, A. Petrozza, T. Wahlbrink, M. C. Lemme, and A. L. Giesecke, 'Efficient Metal-Halide Perovskite Micro Disc Lasers Integrated in a Silicon Nitride Photonic Platform', in *2018 76th Device Research Conference (DRC)*, 2018.
- [4] E. Chatzianagnostou, D. Ketzaki, A. Manolis, G. Dabos, N. Pleros, L. Markey, J.-C. Weeber, A. Dereux, A. L. Giesecke, C. Porschatis, and D. Tsiokos, 'Efficient coupling between Si₃N₄ photonic and hybrid slot-based CMOS plasmonic waveguide', in *Integrated Optics: Devices, Materials, and Technologies XXII*, vol. 10535, S. M. GarciaBlanco and P. Cheben, Eds. 2018, p. 105351H.
- [5] A. Hamed, M. Saeed, Z. Wang, M. Shaygan, D. Neumaier, and R. Negra, '6-12 GHz MMIC Double-Balanced Upconversion Mixer based on Graphene Diode', in *2018 IEEE/MTT-S International Microwave Symposium - IMS*, 2018, pp. 674–677.
- [6] S. E. Hosseininejad, S. Abadal, M. Neshat, R. Faraji-Dana, M. C. Lemme, C. Suessmeier, P. H. Bolivar, E. Alarcon, and A. Cabellos-Aparicio, 'MAC-Oriented Programmable Terahertz PHY via Graphene-based Yagi-Uda Antennas', in *2018 IEEE Wireless Communications and Networking Conference (WCNC)*, 2018.
- [7] A. Manolis, G. Dabos, D. Ketzaki, E. Chatzianagnostou, S. Papaioannou, D. Tsiokos, L. Markey, J.-C. Weeber, A. Dereux, A. L. Giesecke, C. Porschatis, and N. Pleros, 'CMOS plasmonic waveguides co-integrated with LPCVD-based Si₃N₄ via a butt-coupled interface', in *Integrated Optics: Devices, Materials, and Technologies XXII*, vol. 10535, S. M. GarciaBlanco and P. Cheben, Eds. 2018, p. 105351J.

- [8] A. Manolis, G. Dabos, D. Ketzaki, E. Chatzianagnostou, D. Tsiokos, L. Markey, J. C. Weeber, A. Dereux, A. L. Giesecke, C. Porschatis, B. Chmielak, and N. Pleros, ‘Gold based plasmonic stripes co-integrated with low loss Si₃N₄ platform in aqueous environment’, in *Conference on Lasers and Electro-Optics*, San Jose, California: OSA, 2018, p. JW2A.5.
- [9] H. Pandey, M. Shaygan, S. Sawallich, S. Kataria, M. Otto, Z. Wang, M. Nagel, D. Neumaier, and M. C. Lemme, ‘All CVD Boron Nitride Encapsulated Graphene FETs’, in *2018 76th Device Research Conference (DRC)*, 2018.
- [10] G. Pouloupoulos, G. Giannoulis, N. Iliadis, T. Wahlbrink, A. L. Giesecke, D. Kalavrouziotis, D. Apostolopoulos, and H. Avramopoulos, ‘Fully Flexible Filtering Element on SOI with 7-80 GHz bandwidth tunability and full FSR tuning’, in *Optical Fiber Communication Conference*, San Diego, California, USA: OSA, 2018, p. M4H.6.
- [11] S. Riazimehr, S. Kataria, J. M. Gonzalez, M. Shaygan, S. Suckow, O. Engstrom, F. J. G. Ruiz, A. Godoy, and M. C. Lemme, ‘Redefining Responsivity in Graphene-based Schottky Diodes’, in *2018 76th Device Research Conference (DRC)*, 2018.
- [12] M. Saeed, A. Hamed, S. Qayyum, Z. Wang, M. Shaygan, D. Neumaier, and R. Negra, ‘0.15 mm(2), DC-70GHz, Graphene-Based Power Detector With Improved Sensitivity and Dynamic Range’, in *2018 IEEE/MTT-S International Microwave Symposium - IMS*, 2018, pp. 1519–1522.
- [13] D. Schall, E. Pallecchi, G. Ducournau, V. Avramovic, M. Otto, and D. Neumaier, ‘Record high bandwidth integrated graphene photodetectors for communication beyond 180 Gb/s’, in *Optical Fiber Communication Conference*, San Diego, California: OSA, 2018, p. M2I.4.
- [14] C. Suessmeier, S. Abadal, L. Banszerus, F. Thiel, E. Alarcon, A. K. Wigger, A. Cabellos-Aparicio, C. Stampfer, M. Lemme, and P. H. Bolivar, ‘Analysis of a Plasmonic Graphene Antenna for Microelectronic Applications’, in *2018 43rd International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)*, 2018.
- [15] D. M. Tsiokos, G. Dabos, D. Ketzaki, J.-C. Weeber, L. Markey, A. Dereux, A. L. Giesecke, C. Porschatis, B. Chmielak, T. Wahlbrink, K. Rochracher, and N. Pleros, ‘Co-integrating plasmonics with Si₃N₄ photonics towards a generic CMOS compatible PIC platform for high-sensitivity multi-channel biosensors: the H2020 PlasmoFab approach (Conference Presentation) (Withdrawal Notice)’, in *Integrated Photonics: Materials, Devices, and Applications IV*, L. Vivien and J.-M. Fédéli, Eds. Barcelona, Spain: SPIE, 2018, p. 1.
- [16] S. Venica, F. Driussi, A. Gahoi, S. Kataria, P. Palestri, M. C. Lemme, and L. Selmi, ‘Reliability analysis of the metal-graphene contact resistance extracted by the Transfer Length Method’, in *Proceedings of the 2018 IEEE International Conference on Microelectronic Test Structures (ICMTS)*, 2018, pp. 57–62.
- [17] F. Wieduwilt, C. Lentz, U. Plachetka, and H. Wackerbarth, ‘SERS als Möglichkeit zur Überwachung von Oberflächenfunktionalisierungen’, in *Eingabe und Sieger des Kaiser-Friedrich-Forschungspreises 2018*, 2018.
- [18] X. Yang, A. Vorobiev, K. Jeppson, J. Stake, L. Banszerus, C. Stampfer, M. Otto, and D. Neumaier, ‘Low-frequency Noise Characterization of Graphene FET THz Detectors’, in *2018 43rd International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)*, 2018.

2017

- [1] K. Alexander, M. Mohsin, U. D. Dave, L. A. Shiramin, S. Clemmen, D. Neumaier, B. Kuyken, and D. Van Thourhout, ‘Electrically Tunable Optical Nonlinearity of Graphene-covered SiN waveguides’, in *2017 Conference on Lasers and Electro-Optics*

- (CLEO), 2017.
- [2] M. Belete, S. Kataria, O. Engstroem, and M. C. Lemme, ‘Defects in Layered Vapor-Phase Grown MoS₂’, in *2017 75th Annual Device Research Conference (DRC)*, 2017.
 - [3] I. Bolshakova, D. Dyuzhkov, Y. Kost, M. Radishevskiy, F. Shurigin, A. Vasyliiev, Z. Wang, M. Otto, D. Neumaier, M. Bulavin, and A. Kulikov, ‘Graphene and Prospects of Radiation-Hard Hall Sensors’, in *Proceedings of the 2017 IEEE 7th International Conference Nanomaterials: Application & Properties (NAP)*, A. D. Pogrebnjak, V. Novosad, P. Zukowski, S. I. Protsenko, and Y. Shabelnyk, Eds. 2017, p. UNSP 03CBN15.
 - [4] J. Bolten, K. T. Arat, N. Uenal, C. Porschatis, T. Wahlbrink, and M. C. Lemme, ‘Challenges for scanning electron microscopy and inspection on the nanometer scale for non-IC application - and how to tackle them using computational techniques’, in *33rd European Mask and Lithography Conference*, vol. 10446, U. F. W. Behringer and J. Finders, Eds. 2017, p. UNSP 104460G.
 - [5] P. J. Cegielski, S. Neutzner, C. Porschatis, H. Lerch, J. Bolten, S. Suckow, A. R. S. Kandada, B. Chmielak, A. Petrozza, T. Wahlbrink, and A. L. Giesecke, ‘Perovskite laser integrated on a conventional Si₃N₄ photonic platform’, in *2017 Conference on Lasers and Electro-Optics Europe & European Quantum Electronics Conference (CLEO/Europe-EQEC)*, Munich: IEEE, 2017, pp. 1–1.
 - [6] G. Dabos, A. Manolis, A. L. Giesecke, C. Porschatis, B. Chmielak, T. Wahlbrink, N. Pleros, and D. Tsiokos, ‘TM Grating Couplers for Low-Loss LPCVD based Si₃N₄ Waveguide Platform’, in *2017 Conference on Lasers and Electro-Optics (CLEO)*, 2017.
 - [7] O. Engstroem, M. C. Lemme, and O. Habibpour, ‘Properties of Metal/High-k Oxide/Graphene Structures’, in *Semiconductors, Dielectrics, and Metals for Nanoelectronics 15: In Memory of Samares Kar*, vol. 80, D. Misra, S. DeGendt, M. Houssa, K. Kita, and D. Landheer, Eds. 2017, pp. 157–176.
 - [8] A. Gahoi, S. Kataria, and M. C. Lemme, ‘Temperature Dependence of Contact Resistance for Gold-Graphene Contacts’, in *2017 47th European Solid-State Device Research Conference (ESSDERC)*, 2017, pp. 110–113.
 - [9] C. Helke, K. Hiller, J. W. Erben, D. Reuter, M. Meinig, S. Kurth, C. Nowak, H. Kleinjans, and T. Otto, ‘Challenges of Nanostructure-Integration in Fabry-Perot Interferometers as Alternative to Bragg Reflectors - an Example for Match 1: 1-, eBeam- and Nanoimprint Lithography’, in *33rd European Mask and Lithography Conference*, vol. 10446, U. F. W. Behringer and J. Finders, Eds. 2017, p. UNSP 104460J.
 - [10] C. Helke, K. Hiller, T. Werner, D. Reuter, M. Meinig, S. Kurth, C. Nowak, H. Kleinjans, and T. Otto, ‘Large-scale fabrication of LP-CVD Si₃N₄ photonic crystal structures as freestanding reflectors with 1 mm aperture for Fabry-Perot interferometers’, in *Nanoengineering: Fabrication, Properties, Optics, and Devices XIV*, vol. 10354, E. M. Campo, E. A. Dobisz, and L. A. Eldada, Eds. 2017, p. 1035403.
 - [11] S. Kataria, S. Wagner, and M. C. Lemme, ‘Scalable Growth of Two Dimensional Materials - a Prerequisite for Process Integration’, in *Semiconductor Process Integration 10*, vol. 80, J. Murota, C. L. Claeys, H. Iwai, M. Tao, S. Deleonibus, A. Mai, K. Shiojima, and P. Chin, Eds. 2017, pp. 259–270.
 - [12] T. Meister, F. Ellinger, J. W. Bartha, M. Berroth, J. Burghartz, M. Claus, L. Frey, A. Gagliardi, M. Grundmann, J. Hesselbarth, H. Klauk, K. Leo, P. Lugli, S. Mannsfeld, Y. Manoli, R. Negra, D. Neumaier, U. Pfeiffer, T. Riedl, S. Scheinert, U. Scherf, A. Thiede, G. Troester, M. Vossiek, R. Weigel, C. Wenger, A. Golzar, M. Becherer, C. Alvarado, M. Darwish, M. Ellinger, C.-Y. Fan, M. Fritsch, F. Grotjahn, M. Gunia, K. Haase, P. Hillger, K. Ishida, M. Jank, S. Knobelspies, M. Kuhl, G. Lupina, S. M. Naghadeh, N. Muenzenrieder, S. Oezbek, M. Rasteh, G. A. Salvatore, D. Schrufer, C. Strobel, M. Theisen, C. Tueckmantel, H. von Wenckstern, Z. Wang, and Z. Zhang, ‘Program

- FFlexCom - High Frequency Flexible Bendable Electronics for Wireless Communication Systems', in *2017 IEEE International Conference on Microwaves, Antennas, Communications and Electronic Systems (COMCAS)*, 2017, pp. 633–638.
- [13] V. Passi, A. Gohoi, and M. C. Lemme, 'Enhanced Asymmetry in Monolayer Graphene Geometric Diodes', in *2017 Silicon Nanoelectronics Workshop (SNW)*, 2017, pp. 137–138.
- [14] K. Piskorski, V. Passi, J. Ruhkopf, M. C. Lemme, and H. M. Przewlocki, 'The outstanding properties of graphene-insulator-semiconductor (GIS) test structures for photoelectric determination of semiconductor devices band diagram', in *2017 International Conference of Microelectronic Test Structures (ICMTS)*, Grenoble, France: IEEE, 2017, pp. 1–5.
- [15] A. Porciatti, Z. Wang, P. Marconcini, G. Pennelli, G. Basso, D. Neumaier, and M. Macucci, 'Flicker Noise in Graphene-based Hall Sensors', in *2017 International Conference on Noise and Fluctuations (icnf)*, 2017.
- [16] M. Saeed, A. Hamed, C.-Y. Fan, E. Heidebrecht, R. Negra, M. Shaygan, Z. Wang, and D. Neumaier, 'Millimeter-wave graphene-based varactor for flexible electronics', in *2017 12th European Microwave Integrated Circuits Conference (EuMIC)*, Nuremberg: IEEE, 2017, pp. 117–120.
- [17] M. Saeed, A. Hamed, R. Negra, M. Shaygan, Z. Wang, and D. Neumaier, 'Zero-bias, 50 dB Dynamic Range, V-Band power detector based on CVD Graphene-on-glass', in *2017 IEEE MTT-S International Microwave Symposium (ims)*, 2017, pp. 1649–1652.
- [18] D. Tsiokos, G. Dabos, J. Bolten, and N. Pleros, 'Low-Cost Vertical Coupling Schemes for Optical I/Os and 3D Integration in CMOS Photonic Integrated Circuits', in *2017 19th International Conference on Transparent Optical Networks (ICTON)*, 2017.
- [19] S. Venica, F. Driussi, A. Gahoi, V. Passi, P. Palestri, M. C. Lemme, and L. Selmi, 'Detailed characterization and critical discussion of series resistance in graphene-metal contacts', in *2017 International Conference of Microelectronic Test Structures (ICMTS)*, Grenoble, France: IEEE, 2017, pp. 1–5.

2016

- [1] K. T. Arat, J. Bolten, T. Klimpel, and N. Unal, 'Electric Fields in Scanning Electron Microscopy Simulations', in *Metrology, Inspection, and Process Control for Microlithography Xxx*, vol. 9778, M. I. Sanchez and V. A. Ukraintsev, Eds. 2016, p. 97780C.
- [2] K. T. Arat, J. Bolten, T. Klimpel, and N. Unal, 'Electric fields in Scanning Electron Microscopy simulations', in *SPIE Advanced Lithography*, M. I. Sanchez and V. A. Ukraintsev, Eds. San Jose, California, United States, 2016, p. 97780C.
- [3] J. Bolten, T. Wahlbrink, A. Prinzen, C. Porschatis, H. Lerch, and A. L. Giesecke, 'Photonic Integrated Circuits: New Challenges for Lithography', in *32nd European Mask and Lithography Conference*, vol. 10032, U. F. W. Behringer and J. Finders, Eds. 2016, p. UNSP 100320D.
- [4] A. Giesecke, A. Prinzen, H. Fueser, C. Porschatis, H. Lerch, J. Bolten, S. Suckow, B. Chmielak, and T. Wahlbrink, 'Ultra-efficient Interleaved Depletion Modulators by Using Advanced Fabrication Technology', in *European Conference on Optical Communication, ECOC*, 2016.
- [5] M. Iannazzo, E. Alarcon, H. Pandey, V. Passi, and M. C. Lemme, 'CVD Graphene-FET based Cascode Circuits A Design Exploration and Fabrication towards Intrinsic Gain Enhancement', in *2016 46th European Solid-State Device Research Conference (ESSDERC)*, 2016, pp. 244–247.
- [6] G. Kanakis, N. Iliadis, N. Argyris, G. Goetz, A. Dede, G. Pouloupoulos, D.

- Kalavrouziotis, J. Bolten, I. Lazarou, T. Wahlbrink, A. L. Giesecke, A. Vanucci, D. Apostolopoulos, and H. Avramopoulos, '16×1 Dual Polarization SOI MUX/DEMUX for Flexible-Grid Optical Networks', in *Optical Fiber Communication Conference*, Anaheim, California: OSA, 2016, p. W2A.17.
- [7] C. Koos, W. Freude, J. Leuthold, L. R. Dalton, S. Wolf, H. Zwickel, T. Hoose, M. R. Billah, M. Lauermann, C. Weimann, W. Hartmann, A. Melikyan, N. Lindenmann, S. Koeber, R. Palmer, D. Korn, L. Alloatti, A.-L. Giesecke, and T. Wahlbrink, 'Silicon-organic hybrid (SOH) integration and photonic multi-chip systems: Technologies for high-speed optical interconnects', in *2016 IEEE Optical Interconnects Conference (oi)*, 2016, pp. 86–87.
- [8] C. Koos, W. Freude, J. Leuthold, L. R. Dalton, S. Wolf, H. Zwickel, T. Hoose, M. R. Billah, M. Lauermann, C. Weimann, W. Hartmann, A. Melikyan, N. Lindenmann, S. Koeber, R. Palmer, D. Korn, L. Alloatti, A.-L. Giesecke, and T. Wahlbrink, 'Silicon-organic hybrid (SOH) integration and photonic multi-chip systems: Technologies for high-speed optical interconnects', in *2016 IEEE Optical Interconnects Conference (OI)*, San Diego, CA, USA: IEEE, 2016, pp. 86–87.
- [9] M. C. Lemme and F. Schwierz, 'Graphene for RF Analogue Applications', in *2D Materials for Nanoelectronics*, M. Houssa, A. Molle, and A. Dimoulas, Eds. 2016.
- [10] M. Ostling, A. D. Smith, S. Vaziri, S. S. Delekta, J. Li, and M. C. Lemme, 'Emerging Graphene Device Technologies', in *Emerging Nanomaterials and Devices*, vol. 75, U. Schwalke, H. Baumgart, H. Hahn, F. Kreupl, M. Lemme, Q. Li, M. Orlowski, and S. V. Rotkin, Eds. 2016, pp. 17–35.
- [11] H. Pandey, S. Kataria, V. Passi, M. Iannazzo, E. Alarcon, and M. C. Lemme, 'Improved voltage gain in mechanically stacked bilayer graphene field effect transistors', in *2016 Joint International Eurosoi Workshop and International Conference*, 2016, pp. 143–146.
- [12] V. Passi, A. Gahoi, J. Ruhkopf, S. Kataria, F. Vaurette, E. Pallecchi, H. Happy, and M. C. Lemme, 'Contact Resistance Study of "Edge-Contacted" Metal-Graphene Interfaces', in *2016 46th European Solid-State Device Research Conference (ESSDERC)*, 2016, pp. 236–239.
- [13] S. Sawallich, M. Mohsin, C. Matheisen, D. Neumaier, and M. Nagel, 'Contact-free High-resolution Conductivity Mapping of Large-area Graphene Covered with an Ion Gel Top-gate', in *2016 41st International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)*, 2016.
- [14] D. S. Schneider, A. Bablich, and M. C. Lemme, 'Graphene/a-Si:H Multispectral Photodetectors', in *2016 46th European Solid-State Device Research Conference (ESSDERC)*, 2016, pp. 287–290.

2015

- [1] A. Askar, A. Hamed, M. Saeed, A. A. Sagade, D. Neumaier, and R. Negra, 'Graphene-based MMIC process development and RF passives design', in *2015 German Microwave Conference*, Nuremberg, Germany: IEEE, 2015, pp. 299–302.
- [2] F. Brunetti, G. Ulisse, M. Dianetti, G. Susanna, G. Innaccone, G. Fiori, O. Martin, D. Neumaier, R. Puicervet, D. Lordan, M. Burke, A. Quinn, M. Schimidt, and P. Lugli, 'Doped and textured graphene as electrode for organic solar cells', in *2015 IEEE 15th International Conference on Nanotechnology (IEEE-NANO)*, Rome: IEEE, 2015, pp. 560–563.
- [3] T. Cusati, G. Fiori, A. Gahoi, A. Fortunelli, M. C. Lemme, and G. Iannaccone, 'Understanding the nature of metal-graphene contacts: a theoretical and experimental study', Washington, USA, 2015.
- [4] S. Dris, M. Vanhoecke, A. Aimone, D. Apostolopoulos, I. Lazarou, P. Demeester, J.

- Bauwelinck, G. Gotz, T. Wahlbrink, R. Magri, I. Papafili, G. Agapiou, and H. Avramopoulos, 'A Programmable, Multi-Format Photonic Transceiver Platform Enabling Flexible Optical Networks', in *2015 17th International Conference on Transparent Optical Networks (ICTON)*, 2015, p. We.D5.2.
- [5] H. Fueser, A. L. Giesecke, A. Prinzen, S. Suckow, C. Porschatis, D. Schall, H. Lerch, M. M. Tarar, J. Bolten, T. Wahlbrink, and H. Kurz, '56 Gb/s WDM transmitter module based on silicon microrings using comb lasers', in *2015 Conference on Lasers and Electro-Optics (CLEO)*, 2015.
- [6] A. Gahoi, V. Passi, S. Kataria, S. Wagner, A. Bablich, and M. C. Lemme, 'Systematic Comparison of Metal Contacts on CVD Graphene', in *ESSDERC 2015 Proceedings of the 45th European Solid-State Device Research Conference*, W. Pribyl, T. Grasser, and M. Schrems, Eds. 2015, pp. 184–187.
- [7] A. Gahoi, V. Passi, S. Kataria, S. Wagner, A. Bablich, and M. C. Lemme, 'Systematic study of the palladium-graphene contact', in *2015 Joint International EUROSOI Workshop and International Conference on Ultimate Integration on Silicon (EUROSOI-ULIS)*, 2015, pp. 309–312.
- [8] R. Hainberger, P. Muellner, and T. Wahlbrink, 'Task-specific simulation strategies for the optimized design of photonic key components', in *2015 Photonics North*, Ottawa, ON, Canada: IEEE, 2015, pp. 1–1.
- [9] M. Iannazzo, V. L. Muzzo, S. Rodriguez, A. Rusu, M. C. Lemme, and E. Alarcon, 'Design Exploration of Graphene-FET Based Ring-Oscillator Circuits: a Test-Bench for Large-Signal Compact Models', Lisbon, Portugal, 2015.
- [10] N. Iliadis, G. Kanakis, N. Argyris, G. Gotz, I. Lazarou, D. Kalavrouziotis, J. Bolten, T. Wahlbrink, A. L. Giesecke, D. Apostolopoulos, and H. Avramopoulos, 'Bandwidth-Flexible and Wavelength-Selective SOI Filtering Element for Flexible-Grid Applications', in *Asia Communications and Photonics Conference 2015*, Hong Kong: OSA, 2015, p. ASu1B.3.
- [11] Y. Y. Illarionov, M. Walzl, A. D. Smith, S. Vaziri, M. Ostling, T. Mueller, M. C. Lemme, and T. Grasser, 'Hot-Carrier Degradation in Single-Layer Double-Gated Graphene Field-Effect Transistors', in *2015 IEEE International Reliability Physics Symposium (irps)*, 2015.
- [12] Yu. Yu. Illarionov, M. Walzl, A. D. Smith, S. Vaziri, M. Ostling, M. Lemme, and T. Grasser, 'Back Gate Bias-Temperature Instability in Single-Layer Double-Gated Graphene Field-Effect Transistors', Sapporo, Japan, 2015.
- [13] Yu. Yu. Illarionov, M. Walzl, A. D. Smith, S. Vaziri, M. Ostling, M. C. Lemme, and T. Grasser, 'Impact of hot carrier stress on the defect density and mobility in double-gated graphene field-effect transistors', in *2015 Joint International EUROSOI Workshop and International Conference on Ultimate Integration on Silicon (EUROSOI-ULIS)*, 2015, pp. 81–84.
- [14] Yu. Yu. Illarionov, M. Walzl, A. Smith, S. Vaziri, M. Ostling, M. Lemme, and T. Grasser, 'Temperature Dependence of Hot Carrier and Positive Bias Stress Degradation in Double-Gated Graphene Field-Effect Transistors', Bilbao, Spain, 2015.
- [15] Y. Illarionov, M. Walzl, A. D. Smith, S. Vaziri, M. Ostling, M. C. Lemme, and T. Grasser, 'Interplay between Hot Carrier and Bias Stress Components in Single-Layer Double-Gated Graphene Field-Effect Transistors', in *Proceedings of 45th European Solid-State Device Research Conference*, Graz, 2015, pp. 172–175.
- [16] C. Koos, W. Freude, J. Leuthold, M. Kohl, L. R. Dalton, W. Bogaerts, M. Lauermaun, S. Wolf, C. Weimann, A. Melikyan, N. Lindenmann, M. R. Billah, S. Muehlbrandt, S. Koeber, R. Palmer, K. Koehnle, L. Alloatti, D. L. Elder, A.-L. Giesecke, and T. Wahlbrink, 'Silicon-organic hybrid (SOH) integration and photonic multi-chip systems: Extending the capabilities of the silicon photonic platform', in *2015 Photonics*

Conference (IPC), 2015.

- [17] C. Koos, W. Freude, J. Leuthold, M. Kohl, L. R. Dalton, W. Bogaerts, M. Laueremann, S. Wolf, R. Palmer, S. Koeber, A. Melikyan, C. Weimann, G. Ronniger, K. Geistert, P. C. Schindler, D. L. Elder, T. Wahlbrink, J. Bolten, A. L. Giesecke, M. Koenigsmann, M. Kohler, and D. Malsam, 'Silicon-Organic Hybrid (SOH) Integration for Low-Power and High-Speed Signal Generation', in *2015 17th International Conference on Transparent Optical Networks (ICTON)*, 2015, p. We.C5.1.
- [18] M. Laueremann, S. Wolf, R. Palmer, A. Bielik, L. Altenhain, J. Lutz, R. Schmid, T. Wahlbrink, J. Bolten, A. L. Giesecke, W. Freude, and C. Koos, '64 GBd Operation of a Silicon-Organic Hybrid Modulator at Elevated Temperature', in *Optical Fiber Communication Conference*, Los Angeles, California: OSA, 2015, p. Tu2A.5.
- [19] M. Laueremann, S. Wolf, R. Palmer, S. Koeber, P. C. Schindler, T. Wahlbrink, J. Bolten, A. L. Giesecke, M. Koenigsmann, M. Kohler, D. Malsam, D. L. Elder, L. R. Dalton, J. Leuthold, W. Freude, and C. Koos, 'High-speed and low-power silicon-organic hybrid modulators for advanced modulation formats', in *SPIE Optics + Optoelectronics*, P. Cheben, J. Čtyroký, and I. Molina-Fernández, Eds. Prague, Czech Republic, 2015, p. 951607.
- [20] M. Mohsin, A. L. Giesecke, D. Neumaier, D. Schall, M. Otto, C. Matheisen, A. A. Sagade, and H. Kurz, 'Experimental demonstration of electro-refractive phase modulators based on graphene', in *Advanced Photonics 2015*, Boston, Massachusetts: OSA, 2015, p. IM4A.1.
- [21] M. A. Piqueras, T. Mengual, B. Chmielak, A. Catalani, P. Huggard, H. Wang, and R. Ortuno, 'Photonic Front-End for the next-generation of space SAR applications', in *2015 45th European Microwave Conference (EUMC)*, 2015, pp. 1152–1155.
- [22] M. A. Piqueras, T. Mengual, B. Chmielak, A. Catalani, P. Huggard, H. Wang, and R. Ortuno, 'Photonic Front-End for the next-generation of space SAR applications', in *Sensors, Systems, and Next-Generation Satellites XIX*, vol. 9639, R. Meynart, S. P. Neeck, H. Shimoda, and T. Kimura, Eds. 2015, p. 96391I.
- [23] S. Riazimehr, D. Schneider, C. Yim, S. Kataria, V. Passi, A. Bablich, G. S. Duesberg, and M. C. Lemme, 'Spectral sensitivity of a graphene/silicon pn-junction photodetector', in *2015 Joint International EUROSOI Workshop and International Conference on Ultimate Integration on Silicon (EUROSOI-ULIS)*, 2015, pp. 77–80.
- [24] S. Vaziri, M. Belete, A. D. Smith, E. D. Litta, G. Lupina, M. C. Lemme, and M. Oestling, 'Step tunneling-enhanced Hot-electron Injection in Vertical Graphene Base Transistors', in *ESSDERC 2015 Proceedings of the 45th European Solid-State Device Research Conference*, W. Pribyl, T. Grasser, and M. Schrems, Eds. 2015, pp. 198–201.
- [25] S. Wagner, C. Weisenstein, S. Kataria, and M. C. Lemme, 'Graphene membrane fabrication methods for NEMS applications with sealed cavities', 2015.

2014

- [1] A. Bhattacharya, G. Georgiou, S. Sawallich, C. Matheisen, M. Nagel, and J. G. Rivas, 'THz near-field microscopy of semiconductor and metal bowtie antennas', in *2014 39th International Conference on Infrared, Millimeter, and Terahertz Waves (IRMMW-THz)*, 2014.
- [2] J. Bolten, P.-E. Hellström, M. Östling, C. Ternon, and P. Serre, 'Fabrication of Nanowires', in *Beyond-CMOS Nanodevices 1*, F. Balestra, Ed. Hoboken, NJ, USA: John Wiley & Sons, Inc., 2014, pp. 5–23.
- [3] G. Dabos, D. Kalavrouziotis, J. Bolten, A. Prinzen, N. Pleros, and D. Tsiokos, 'Cost-effective single-etched TM-mode SOI grating couplers for broadband perfectly vertical coupling', in *Silicon Photonics Ix*, vol. 8990, J. Kubby and G. T. Reed, Eds. 2014, p.

UNSP 899009.

- [4] B. Gargallo, P. Munoz, R. Banos, A. L. Giesecke, J. Bolten, T. Wahlbrink, and H. Kleinjans, 'Silicon-on-insulator reflective arrayed waveguide grating with sagnac loop reflectors', in *2014 The European Conference on Optical Communication (ECOC)*, Cannes, France: IEEE, 2014, pp. 1–3.
- [5] A. L. Giesecke, A. Prinzen, J. Bolten, C. Porschatis, B. Chmielak, C. Matheisen, T. Wahlbrink, H. Lerch, M. Waldow, and H. Kurz, 'Add-drop Microring Resonator for Electro-optical Switching and Optical Power Monitoring', in *2014 Conference on Lasers and Electro-Optics (CLEO)*, 2014.
- [6] R. Hainberger, P. Muellner, E. Melnik, M. Wellenzohn, R. Bruck, J. Schotter, S. Schrittwieser, M. Waldow, T. Wahlbrink, G. Koppitsch, F. Schrank, K. Soulantica, S. Lentijo, B. Pelaz, and W. Parak, 'Integrated optical waveguide and nanoparticle based label-free molecular biosensing concepts', in *Frontiers in Biological Detection: From Nanosensors to Systems Vi*, vol. 8933, B. L. Miller, P. M. Fauchet, and B. T. Cunningham, Eds. 2014, p. UNSP 893305.
- [7] Y. Y. Illarionov, A. D. Smith, S. Vaziri, M. Ostling, T. Mueller, M. C. Lemme, and T. Grasser, 'Bias-Temperature Instability in Single-Layer Graphene Field-Effect Transistors: A Reliability Challenge', in *2014 IEEE Silicon Nanoelectronics Workshop (SNW)*, 2014.
- [8] S. Kurth, K. Hiller, M. Meinig, J. Besser, M. Seifert, M. Ebermann, N. Neuman, F. Schlachter, and T. Gessner, 'Subwavelength grating reflectors in MEMS tunable Fabry-Perot infrared filters with large aperture', in *High Contrast Metastructures Iii*, vol. 8995, C. J. ChangHasnain, D. Fattal, F. Koyama, and W. Zhou, Eds. 2014, p. UNSP 899501.
- [9] M. Lauer mann, R. Palmer, S. Koeber, P. C. Schindler, D. Korn, T. Wahlbrink, J. Bolten, M. Waldow, D. L. Elder, L. R. Dalton, J. Leuthold, W. Freude, and C. Koos, '16QAM Silicon-Organic Hybrid (SOH) Modulator Operating with 0.6 V-pp and', in *2014 Conference on Lasers and Electro-Optics (CLEO)*, 2014.
- [10] M. Lauer mann, P. C. Schindler, S. Wolf, R. Palmer, S. Koeber, D. Korn, L. Alloatti, T. Wahlbrink, J. Bolten, M. Waldow, M. Koenigsmann, M. Kohler, D. Malsam, D. L. Elder, P. V. Johnston, N. Phillips-Sylvain, P. A. Sullivan, L. R. Dalton, J. Leuthold, W. Freude, and C. Koos, '40 GBd 16QAM modulation at 160 Gbit/s in a silicon-organic hybrid (SOH) modulator', in *2014 The European Conference on Optical Communication (ECOC)*, Cannes, France: IEEE, 2014, pp. 1–3.
- [11] M. Mohsin, D. Schall, M. Otto, D. Neumaier, and H. Kurz, 'Low Insertion Loss Graphene based Absorption Modulator on SOI Waveguide', in *2014 Conference on Lasers and Electro-Optics (CLEO)*, 2014.
- [12] M. M. Naiini, S. Vaziri, A. D. Smith, M. C. Lemme, and M. Ostling, 'Embedded Graphene Photodetectors for Silicon Photonics', in *2014 72nd Annual Device Research Conference (DRC)*, 2014, pp. 43–+.
- [13] S. Papaioannou, G. Dabos, K. Vyrsoinos, G. Giannoulis, A. Prinzen, C. Porschatis, M. Waldow, D. Apostolopoulos, H. Avramopoulos, and N. Pleros, 'Eight-channel second-order ring resonator based SOI multiplexers/demultiplexers for optical interconnects', in *2014 The European Conference on Optical Communication (ECOC)*, Cannes, France: IEEE, 2014, pp. 1–3.
- [14] S. Khandan Del, R. Bornemann, A. Bablich, H. Schäfer-Eberwein, J. Li, M. Ostling, P. Haring-Bolivar, and M.C. Lemme, 'Large area flexible transparent conductors made from laser-annealed graphene inks', Thessaloniki, Greece, 2014.
- [15] S. Riazimehr, C.-Y. Yim, M. O'Brien, N. McEvoy, R. Pawar, C. Downing, H. Schäfer-Eberwein, A. Bablich, G. Iannaccone, G. Fiori, G.S. Duesberg, and M.C. Lemme, 'Spectral response of vapor phase grown molybdenum disulfide (MoS₂) / silicon photodiodes', Dublin, Ireland, 2014.

- [16] Saul Rodriguez, Anderson D. Smith, Sam Vaziri, Mikael Östling, Max C. Lemme, and Ana Rusu, 'A Graphene FET Process Design KIT', 2014.
- [17] A. D. Smith, S. Vaziri, S. Rodriguez, M. Ostling, and M. C. Lemme, 'Wafer Scale Graphene Transfer for Back End of the Line Device Integration', in *2014 15th International Conference on Ultimate Integration on Silicon (ulis)*, 2014, pp. 29–32.
- [18] A. D. Smith, F. Niklaus, S. Vaziri, A. C. Fischer, M. Sterner, F. Forsberg, S. Schroder, M. Ostling, and M. C. Lemme, 'Biaxial strain in suspended graphene membranes for piezoresistive sensing', in *2014 IEEE 27th International Conference on Micro Electro Mechanical Systems (MEMS)*, 2014, pp. 1055–1058.
- [19] A. D. Smith, F. Niklaus, S. Vaziri, A. C. Fischer, F. Forsberg, S. Schroder, M. Ostling, and M. C. Lemme, 'Graphene-based Piezoresistive Pressure Sensing for Uniaxial and Biaxial Strains', in *2014 IEEE Silicon Nanoelectronics Workshop (SNW)*, 2014.
- [20] S. Vaziri, A. D. Smith, G. Lupina, M. C. Lemme, and M. Ostling, 'PDMS-supported Graphene Transfer Using Intermediary Polymer Layers', in *Proceedings of the 2014 44th European Solid-State Device Research Conference (ESSDERC 2014)*, R. Bez, P. Pavan, and G. Meneghesso, Eds. 2014, pp. 309–312.

Eingeladene Konferenzbeiträge

2019

- [1] M. C. Lemme, in *IEEE Nanotechnology Materials and Devices Conference*, Stockholm, Sweden, 2019.
- [2] M. C. Lemme, ‘Integration of 2D-Material-based Micro- and Nanoelectronic Devices’, in *5th EU-Korea Workshop on Graphene and 2D Materials*, Seoul, South Korea, 2019.
- [3] M. C. Lemme, ‘Assessing the Application Potential of Electronic Devices based on Graphene and related 2-dimensional Materials’, in *21st International Vacuum Congress*, Malmö, Sweden, 2019.
- [4] M. C. Lemme, ‘Efficient Optoelectronics with 2D Materials’, in *Device Research Conference*, Ann Arbor, Michigan, USA, 2019.
- [5] D. Neumaier, ‘Towards wafer-scale manufacturing of graphene devices: Prospects and challenges’, in *Graphene 2019 Conference*, Rome, 2019.
- [6] M. C. Lemme, ‘Efficient photodetection in 2D Materials and 2D/3D Heterostructures’, in *ECS Meeting*, Dallas, USA, 2019.
- [7] M. C. Lemme, ‘2-dimensional materials for smart sensing’, in *Workshop on Intelligent Surfaces and Materials*, Aachen, Germany, 2019.
- [8] U. Plachetka, ‘3D shaping of nanopatterns by RIE etching’, in *NIIndustrialday*, Aachen, 2019.
- [9] D. Schall, ‘Graphene photonics for low cost and high-speed datacenter interconnects’, in *Datacenter Symposium, ECOC 2019*, 2019.

2018

- [1] D. Neumaier, ‘Graphene based electronic and sensor devices: Moving from the lab towards production’, in *N&N conference 2018*, Frascati, 2018.
- [2] M. C. Lemme, ‘Sensors and Sensor Systems based on 2D Materials’, in *International Workshop for Semi-conducting Nanomaterials for Health, Environment and Security Applications*, Grenoble, France, 2018.
- [3] M. C. Lemme, ‘Strain Sensing in Graphene and PtSe₂’, in *Workshop Sensing with Graphene and 2-Dimensional Materials*, Aachen, Germany, 2018.
- [4] D. Neumaier, ‘Graphene based electronic devices and integrated circuits for RF communication’, in *3rd Japan-EU Workshop on graphene and related 2D materials*, Sendai, 2018.
- [5] M. C. Lemme, ‘Two-dimensional Materials for Future IT’, in *10th Joint Korean-German Conference*, Aachen, Germany, 2018.
- [6] Z. Wang, ‘Graphene based Hall sensors’, in *Seminar about hall sensor for fusion reactor application*, Lviv Polytechnic National University, Ukraine, 2018.
- [7] M. C. Lemme, ‘Graphene and Transition Metal Dichalcogenide-based Photodiodes’, in *10. Joint Sino-German Symposium on Opto- and Microelectronic Devices and Systems*, Aachen, Germany, 2018.
- [8] D. Schall, ‘Integrated Graphene Photonic Devices: Status and Challenges’, in *2018 48th European Solid-State Device Research Conference (ESSDERC)*, 2018, pp. 107–109.
- [9] D. Neumaier, ‘Integrated Circuits for RF Communication with Graphene based Devices’, in *Graphene 2018 Conference*, Dresden, 2018.
- [10] D. Neumaier, ‘Graphene films as transparent electrodes’, in *CIMTEC conference 2018*, Perugia, 2018.
- [11] D. Neumaier, ‘Towards wafer-scale-processing of 2D materials’, in *Hengstberger symposium “The role of defects in low-dimensional nanostructures”*, Heidelberg, 2018.

- [12] M. C. Lemme, ‘Towards Wafer Scale Integration of CVD Graphene and 2D Materials (keynote)’, in *ImagineNano 2018*, Bilbao, Spain, 2018.
- [13] M. C. Lemme, ‘Graphene and 2D material-based devices for sensing applications’, in *MANA International Symposium*, Tsukuba, Japan, 2018.
- [14] D. Neumaier, ‘Graphene based modulators and photodetectors for optical communication systems’, in *EFDS Workshop: Graphen und weitere 2D Materialien: Werkstoff - Technologien - Anwendungen*, Dresden, 2018.
- [15] F. Schlachter, ‘A novel large area NIL concept for superior surface-patterned optics and automotive applications’, in *NIL Industrial Day 2018, Vienna, 8-9 March 2018*, 2018.
- [16] D. Schall, E. Pallecchi, G. Ducournau, V. Avramovic, M. Otto, and D. Neumaier, ‘Record high bandwidth integrated graphene photodetectors for communication beyond 180 Gb/s’, in *Optical Fiber Communication Conference*, 2018, p. M2I.4.
- [17] D. Schall, ‘Commercialization of Graphene Photonics for Ultrafast Optical Communication Infrastructure’, in *NRW Nano Konferenz 2018*, 2018.
- [18] A. L. Giesecke and P. Cegielski, ‘Monolithically Integrated On-chip Lasers based on Perovskite Optoelectronics’, in *MRS Fall 2018, Boston ET04: Perovskite Solar Cells—Challenges and Opportunities*, 2018.

2017

- [1] D. Neumaier, ‘New Graphene based devices and circuits on glass and flexible substrates’, in *European Microwave Week*, Nürnberg, 2017.
- [2] M. C. Lemme, ‘Graphene for RF Electronics – Transistors, Diodes and Antennas’, in *International Workshop on 2D Atomic Sheets*, Beltsville, MD, USA, 2017.
- [3] D. Neumaier, ‘Graphene-based high-frequency electronics’, in *Compound Semiconductor Week 2017*, Berlin, 2017.
- [4] D. Neumaier, ‘Funktionale Graphen-Schichten für Anwendungen im Bereich der Mikroelektronik, Photonik und Sensorik’, in *Fachausschuss der Deutschen Keramischen Gesellschaft*, Koblenz, 2017.
- [5] M. C. Lemme, ‘Graphene Device and Process Integration – Opportunities and Challenges’, in *Graphene 2017*, Barcelona, Spain, 2017.
- [6] D. Neumaier, ‘The potential of graphene in wireless communication systems’, in *Graphene 2017 conference*, Barcelona, 2017.
- [7] M. C. Lemme, ‘2D / 3D Heterostructures for Optoelectronic Devices’, in *DPG Frühjahrstagung*, Dresden, Germany, 2017.
- [8] D. Neumaier, ‘Graphene enabled optical and wireless Datacom for 5G and beyond’, in *GrapheneConnect at Mobile World Congress 2017*, Barcelona, 2017.
- [9] F. Schlachter, ‘AMO- pathfinder in micro- and nanotechnology’, in *NIL Industrial Day 2017, Berlin, 2-3 May 2017*, 2017.

2016

- [1] M. C. Lemme, ‘2D / 3D Heterostructures for Optoelectronic Devices’, in *MRS Fall Meeting*, Boston, MA, USA, 2016.
- [2] M. C. Lemme, ‘Strain sensors: CVD versus ink-based graphene (and CNTs)’, in *CNT meets 2D Workshop*, Heidelberg, Germany, 2016.
- [3] S. Kataria and M. C. Lemme, ‘Graphene and Mo(o)re! – Synthesis and device applications of novel 2D materials’, in *European Conference on Nano Films*, Bilbao, Spain, 2016.
- [4] M. C. Lemme, ‘Graphene Device and Process Integration – Challenges Ahead!’, in *Graphene Canada*, Montreal, Canada, 2016.

- [5] D. Neumaier, ‘Graphene based electro-optical modulators and phase shifters’, in *Graphene Canada 2016*, Montreal, 2016.
- [6] J. Bolten, A. L. Giesecke, and T. Wahlbrink, ‘Definition of sub-20nm nanowire structures featuring well-defined sidewall modulations’, in *42nd Micro and Nano Engineering Conferencet. 2016*, Vienna, Austria, 2016.
- [7] D. Neumaier, ‘Graphene based active components in silicon photonic systems – prospects and challenges’, in *Graphene Week 2016*, Warsaw, 2016.
- [8] M. C. Lemme, ‘Exploiting 2D Materials in Nano-Electromechanical Systems’, in *E-MRS*, Lille, France, 2016.
- [9] D. Neumaier, ‘Radio Frequency applications in the flatland’, in *E-MRS Meeting 2016*, Lille, 2016.
- [10] D. Neumaier, ‘Graphen im Einsatz für optoelektronische Datenkommunikation’, in *EFDS Workshop Graphenschichten: Werkstoffanwendungen*, Dresden, 2016.
- [11] D. Neumaier, ‘The enabling role of graphene for on-chip photonic systems’, in *EWEPNM Winter School*, Kirchberg, 2016.
- [12] A. L. Giesecke, J. Bolten, A. Prinzen, C. Porschatis, H. Lerch, P. J. Cegielski, and T. Wahlbrink, ‘Photonic Integrated Circuits for PhoxTroT: Advances in Lithographic Fabrication Techniques’, in *ECOC 2016, Düsseldorf Data Center Symposium*, 2016.

2015

- [1] M. C. Lemme, ‘Laser Annealing of 2D Material-based Inks’, in *GrappChina*, Qingdao, China, 2015.
- [2] M. C. Lemme, ‘High Sensitivity of Graphene-based Sensors – Opportunities and Challenges’, in *GrappChina*, Qingdao, China, 2015.
- [3] D. Neumaier, ‘Graphene based optical modulators and photodetectors for chip-integrated communication systems’, in *Japan-EU Workshop on graphene and related 2D materials*, Tokyo, 2015.
- [4] D. Neumaier, ‘Graphene based optical modulators and photodetectors for chip-integrated communication systems’, in *Carbonhagen Conference*, Copenhagen, 2015.
- [5] M. C. Lemme, ‘Graphene and 2D Materials for Optoelectronics’, in *CMOS Emerging Technologies*, Vancouver, Canada, 2015.
- [6] A. Bablich and M. C. Lemme, ‘Carbon-based devices for “More than Moore”’, in *International Workshop on 2D Materials and Devices*, Grenoble, France, 2015.
- [7] M. C. Lemme, ‘2D Materials for 3D Devices’, in *NSF – EU Workshop on 2D Layered Materials and Devices*, Arlington, VA, USA, 2015.
- [8] V. Passi, A. Gahoi, S. Riazimehr, S. Wagner, A. Bablich, S. Kataria, and M. C. Lemme, ‘CVD grown Graphene for Opto-Electronic Applications’, in *NATO ARW ‘Functional nanomaterials and devices’*, Lviv, Ukraine, 2015.
- [9] M. C. Lemme, ‘Graphene and Related Two-Dimensional Materials – Future Device Options for More Than Moore Applications’, in *Colloque MINOS 2015*, Grenoble, France, 2015.
- [10] M. C. Lemme, ‘High Sensitivity of Graphene-based Sensors – Opportunities and Limitations’, in *Graphene 2015*, Bilbao, Spain, 2015.
- [11] D. Neumaier, ‘Graphene based optical modulators and photodetectors for chip-integrated communication systems’, in *Graphene 2015 conference*, Bilbao, 2015.

2014

- [1] M. C. Lemme, ‘Graphene in Nanoelectronics - it’s not all about mobility (keynote)’, presented at the Trends in Nanotechnology, TNT, Barcelona, Spain, 2014.

- [2] M. C. Lemme, 'Beyond-CMOS for advanced More Moore and More than Moore applications', in *ESSDERC SINANO Workshop*, Venice, Italy, 2014.
- [3] M. C. Lemme, 'Graphene and related Two-Dimensional Materials: a Toolkit for Future Electronics Applications? (plenary)', in *Italian Meeting on Electromagnetics (XX RiNEm)*, 2014.
- [4] M. C. Lemme, 'Graphene Nanoelectronic Devices: It's not all about Mobility', in *Carbonhagen*, Copenhagen, Denmark, 2014.
- [5] D. Neumaier, 'Graphene based Electronic and Optoelectronic Devices for High-Frequency Applications', in *Electrical Engineering Colloquium*, Duisburg, 2014.
- [6] M. C. Lemme, 'CVD Graphene for Integrated Devices', in *E-MRS*, Lille, France, 2014.
- [7] M. C. Lemme, 'Piezoresistive Graphene NEMS Sensors', in *SPIE Meeting*, Baltimore, USA, 2014.